INCEPTOR® OMNIV2



INTRODUCING INCEPTOR®OMNIV2

DAYLIGHT (6500K)



5 YEAR



JOIST FIRE RATED



DIMMABLE AS STANDARD



6W FIRE RATED FIXED AND ADJUSTABLE DOWNLIGHTS...

. 13-75mm Cut.Out .

The Omni V2 features an integrated 3 Pole Flow[™] connector with built in driver and CTA switch which grants the ability to change the colour temperature instantly.

Incorporating our award winning FlameGuard® system technology, offering a 30, 60 & 90 minute fire rating and is acoustic and airflow compliant.

The new Inceptor® Omni V2 also boasts a 53mm recess depth for low profile installation, with no insulation support bracket needed thanks to the Flow™ integrated driver.





Chrome



Black



Satin Chrome



Antique Brass



White



EXPLORING INCEPTOR® OMNIV2

Developed from our hugely popular Inceptor Omni. The Inceptor® Omni V2 is packed full of the usual features and some added upgrades. With the installer in mind we have made the Omni V2 easier to install and customise.





FAST FIT FLOW™ & CTA SWITCHABLE

The Omni V2 features an integrated 3 Pole Flow™ connector with built in driver and CTA switch which grants the ability to change the colour temperature instantly.



INSULATION COVERABLE

53mm recess depth low profile installation, with no insulation support bracket needed, thanks to the Flow™ integrated driver.





49MM FACETED LENS

The larger 49mm faceted lens provides outstanding performance, uniformity and glare control.



60° Beam Angle

600 LUMEN LIGHT OUTPUT

The 6W Inceptor® Omni V2 has an upgraded internal driver which provides an impressive 600 (620 when in Cool White) lumen light output and a consistent 60° beam angle across all colour temperatures.

PRODUCT LISTING...


6W Dimmable IP65 LED Downlight with CTA Switch



CODE	DESCRIPTION
OV4700WH6D	Fire Rated Fixed Downlight - White


^{*}For other finishes please order the downlight and preferred bezel type and finish.


Inceptor® Omni V2 Adjustable Bezels (IP54)



^{*}Adjustable Angle: 7.5°

Inceptor® Omni V2 Fixed Bezels (IP65)





MORE FROM OVIA® LIGHTING...

INCEPTOR® INTENSE

Inceptor® Intense is a full range of 24V LED Strips, available in cool white, warm white and RGBW.









NOVA & OVO

Ovia's range of starlights consist of a 0.8W plastic recessed circular light and a 1.6W cast recessed circular light. All available in white, chrome and satin chrome.









CUBI

A range of 4 lengths of under-cupboard light fittings designed to suit UK standard cupboard sizes. Cubi under-cupboard lights are CCT as standard and are also extendable.









United Kingdom Scolmore House, Mariner Lichfield Road Industrial Estate Tamworth, Staffordshire, B79 7UL

T: +44 (0)1827 300640 E: sales@oviaUK.com



Ireland
Ovia Lighting Ireland, 18 Corrig
Road, Sandyford Industrial
Estate, Dublin,
D18 WV79

T: +353 1 9123462 E: sales@ovia.ie



Lake Central Tower, Office 1803, Business Bay, Dubai, UAE

UAE Office: +971 4589 6552

www.scolmoredubai.com